



VXR

DUAL TEMPERED GLASS

Quick Start Guide

Contents


◆ Specification	p.01
◆ Panel Removal	p.02
◆ Front Panel I/O Connections	p.03
◆ Component List	p.04
◆ Motherboard Installations	p.05
◆ SSD / HDD Installation	p.06-08
◆ Cable Management Area	p.09
◆ PSU & GPU Installation	p.10
◆ CPU Cooler Installation / Fan Installation--	p.11
◆ Package Contents & Warranty	p.12



Specifications


Type	Specification
Motherboard Support	ATX / Micro-ATX / Mini TX
Dimensions	410(L) x 255(W) x 450(H) mm
3.5" HDD Drive Bay	2
2.5" SSD Drive Bay	4
Expansion Slots	8
Cable Management Space	- mm
Maximum GPU Length	385mm
Maximum CPU Cooler Height	140mm
Maximum PSU Length	230mm

Panel Removal




Unscrew side panel thumb screws. Slide side panels back to release.

Front Panel I/O Connections




BUTTONS AND ACTIVITY LIGHTS

These cables are connected to the motherboard for the power button (power sw), reset button, HDD LED, and power LED (P+ / P-).



HD AUDIO







This connector attaches to your sound card or motherboard and is used to provide the front panel mic input and headphone output.




USB 3.0 CONNECTOR

This cable connects to the USB 3.0 header on the motherboard to enable the front USB 3.0 ports.

Component List

VISUAL	ITEM	QTY	APPLICATION
A 	Motherboard & SSD screw	17	Motherboard and 2.5 hard drive installation
B 	Motherboard standoff	5	Motherboard installation
C 	HDD mount	4	3.5 hard drive installation
D 	Thumb screw	4	3.5 hard drive installation
E 	PSU & Rear expansion slot screw	8	Power supply installation Mounting of GPU and other expansion cards
F 	Cable tie	6	Cable management



Motherboard Installation





Screw Type A & B

SSD / HDD Installation

SSD / HDD Drive Installation




2.5" SSD / 3.5" HDD Installation Steps




Place your 2.5" SSD / 3.5" HDD drive in and secure with screws.


2.5" SSD Installation




Rear Left:



Rear Right:




Cable Management Area




GPU & PSU Installation

Graphics Processing Unit and other
expansion cards




Screw Type E

Power Supply Unit Installation



CPU Cooler Installation / Fan Installation



Package Contents

- TECWARE VXR
- Bag of Screws

Warranty

- 1 Year. Please contact your local distributor for support.



www.tecware.co